


An earthy mineral finish with textural elements for interior surfaces.


[View miproducts listing](#)



Level of assurance needed to demonstrate NZ Building Code Compliance
Supporting documentation should include self-assessment and technical information by manufacturer



Ambitec confirms that this minimum level of assurance has been met or exceeded by the following:
BRANZ Appraisal
[FH5385-01](#), [FH5492-01](#)

 **The following information has been provided by Ambitec demonstrating how this product complies with the [Building Product Information Requirements](#).**

Technical Statement

Product Class

CLASS 2

Product Description

Earthy and grounding, combining the natural properties of clay and fine aggregates to create a strong traditional finish that can be highly textured or honed to smooth satin. This traditional polished plaster is ideal for both residential and commercial interior surfaces. SuaveStone is a specialist surface finish suitable for the coating of all absorbent and prepared indoor surfaces such as plasterboard, concrete, brickwork, block work or bonding plaster that are not in direct contact with water.

With its rugged make up, the SuaveStone polished plaster lends itself to more defined textures, such as the large corrugate texture and bespoke combinations with Mica and woodchips. An optional final surface sealer ensures the SuaveStone specialist finish is water and stain repellent. SuaveStone is available in 6 different texture patterns.

Scope of use

Product Use: SuaveStone Polished Plaster is a decorative interior finish suitable for use on new and existing flat, clean and dry surfaces such as plasterboard, cementboard, concrete, blockwork, MDF and primed metal work. Texture can range from subtle to heavy, with a polish level from matte to satin. Not suitable for wet areas. We recommend that you consult our technical adviser for special areas of application.

New Zealand Building Code (NZBC)

The product will, if employed in accordance with the supplier's installation and maintenance requirements, assist with meeting the following provisions of the building code:

- **Clause B2 Durability:** Performance B2.3.1(c), B2.3.2(a)
Ambitec Manufacturers Warranty
Ambitec (NZ) Ltd (the Manufacturer) hereby warrants the product quality of Ambitec Polished Plaster Finishes (the Product) on the terms set out in the Manufacturers Warranty, for a period of 10 years from the date of completion of installation, subject to compliance with the exclusions listed in the Manufacturers Warranty.
- **Clause C3 Fire affecting areas beyond the fire source:** Performance C3.4(a)
C3.4 and Acceptable Solutions section 4.17
Suave/Tierrafino and Bone China Polished Plaster on standard grade paper faces plasterboard substrate.
Fire Test FH 5385 - Issued 4/12/2024NZBC
Verification Method C/VM2 Appendix A - Group No: 1-S
Suave/Tierrafino and Bone China Polished Plaster on 12mm MDF substrate.
Fire Test FH 5392 - Issued 4/12/2024NZBC
Verification Method C/VM2 Appendix A - Group No:3
<https://www.ambitec.co.nz/technical-information>

Notes

C3.4 and Acceptable Solutions section 4.17

Company Contact Details



Company: Ambitec (NZ) Ltd
Physical Address: 34 Frost Road
Mt Roskill
Auckland
Postal Address: PO Box 59 049
Mangere Bridge
AUCKLAND
Telephone: 64 09 3942953
Email: info@ambitec.co.nz
Website: www.ambitec.co.nz

Evidence

The product meets the requirements set out in the following documents, or relevant parts of cited standards within the documents:

Suave/Tierrafino and Bone China Polished Plaster on standard grade paper faces plasterboard substrate.

Fire Test FH 5385 - Issued 4/12/2024NZBC

Verification Method C/VM2 Appendix A - Group No: 1-S

Suave/Tierrafino and Bone China Polished Plaster on 12mm MDF substrate.

Fire Test FH 5392 - Issued 4/12/2024NZBC

Verification Method C/VM2 Appendix A - Group No:3

Supporting Evidence

The product has and can make available the following additional evidence to support the above statements:



BRANZ Appraisal
[FH5385-01](#), [FH5492-01](#)

Product Criteria

Design requirements

Suitable for residential, commercial and retail interiors, including cabinetry & furniture. Can be used in bathrooms, powder rooms and kitchens but avoid surfaces directly exposed to water such as shower cubicles/wet areas. A surface sealer is recommended for applications in moisture prone and sometimes in high traffic areas.

Required info when specifying;

Plaster System, colour & code, texture type, level and gloss level.

[SuaveStone Spec Sheet](#)

Installation requirements

Application: Ceilings, walls and cabinetry

Finishes: SuaveStone, Bespoke

Thickness: 2 - 2.5 mm

Textures: Traditional, Pitted, Stippled, Formwork, Large Corrugate (Interact only)

Texture levels: Low | Med | Heavy

Polish Levels: Matte | Satin

Colour: Select from our SuaveStone colour library

Suitable Substrates: Plasterboard, Fibre cementboard, Blockwork, Plywood, MDF, MetalSubstrate
Prep: Level 4 paint finish, Blockwork skim coated, Metal work primed.

[SuaveStone Tech Sheet](#)

Maintenance requirements

Please see our Care Guide for maintenance requirements.

[Care Guide](#)

Building Product Information Requirements

Manufacturer

Legal Trading Name:

Ambitec (NZ) Ltd

Business Email:

info@ambitec.co.nz

Company Website:

www.ambitec.co.nz

Contact Number/s:

+64 09-3942953

Product Identifier

SUAVESTONE POLISHED PLASTER

Ambitec SuaveStone Polished Plaster

Product Technical Statement: 104467



Warnings

This product has no warnings associated with it.



Date last validated: **02 June 2026**



Date last updated: **02 June 2026**

Disclaimer: The Product Technical Statement (PTS) template is copyright to Construction Information Limited. However the content of this PTS is the responsibility of the product manufacturer/supplier. Refer to the miproducts Terms and Conditions