

Heavy duty, spun-bonded, self-supporting, breathable underlay for use under roof claddings

[View miproducts listing](#)



Level of assurance needed to demonstrate NZ Building Code Compliance

Supporting documentation should include technical information by manufacturer and either a BRANZ or independent Appraisal or CodeMark



Marshall Innovations confirms that this minimum level of assurance has been met or exceeded by the following:

BRANZ Appraisal

[1071 \(2019\)](#)

Technical Statement

Product Description

Anti Fracture Membrane (AFM WM) consists of a tough fabric reinforcement laminated to an aggressive adhesive membrane.

Scope of use

SCOPE

HYDRA Roof Underlay has been appraised for use as a roof underlay for use on buildings within the following scope:

- the scope limitations of NZBC Acceptable Solution E2/AS1 paragraph 1.1 with regards to building height and floor plan area; and,
- with masonry tile roof cladding; or,
- with metal tile and profiled metal roof cladding; and
- situated in NZ3604 Wind Zones up to and including Extra High

HYDRA Roof Underlay has also been approved for use on buildings subject to specific weathertightness design. Building designers are responsible for the building design and for the incorporation of HYDRA Roof Underlay into their design in accordance with the declared properties and the instructions of Marshall Innovations Ltd.

Building Regulations (NZBC)

3.1 In the opinion of BRANZ, HYDRA Roof Underlay, if designed, installed, used and maintained in accordance with the statements and conditions of this appraisal, will meet, or contribute to meeting the following provisions of the NZBC:

Clause B2 DURABILITY: Performance B2.3.1 (a), not less than 50 years, (b) 15 years and B2.3.2 HYDRA Roof Underlay will contribute to meeting this requirement.

Clause E2 EXTERNAL MOISTURE: Performance E2.3.2. When used as part of the roof cladding system, HYDRA Roof Underlay will contribute to meeting this requirement.

Clause F2 HAZARDOUS BUILDING MATERIALS: Performance F2.3.1. HYDRA Roof Underlay meets this requirement and will not present a health hazard to people.

New Zealand Building Code (NZBC)

The product will, if employed in accordance with the supplier's installation and maintenance requirements, assist with meeting the following provisions of the building code:

- **Clause B2 Durability:** Performance B2.3.1(a), B2.3.1(b)
- **Clause E2 External moisture:** Performance E2.3.2
- **Clause F2 Hazardous building materials:** Performance F2.3.1


Evidence

The product meets the requirements set out in the following documents, or relevant parts of cited standards within the documents:

HYDRA Roof Underlay has been (BRANZ) appraised for use as a roof underlay in buildings as per scope of limitations of NZBC Acceptable Solutions E2/AS1.

Supporting Evidence

The product has and can make available the following additional evidence to support the above statements:



masterspec partner

Company Contact Details



Brand:	Marshall Innovations
Company:	Marshall Innovations Ltd
Physical Address:	41 Hotuhotu Street Tauriko TAURANGA
Postal Address:	PO Box 9411 Greerton TAURANGA
Telephone:	64 07 5430948
Fax:	64 07 5411029
Email:	headoffice@mwanz.com
Website:	http://www.mwanz.com/



BRANZ Appraisal
[1071 \(2019\)](#)

Product Criteria

Design requirements

Please refer to HYDRA Roof Underlay Specification for technical product information, advantages and limitations.

Installation requirements

Please refer to HYDRA Roof Underlay Specification and BRANZ Appraisal # 1071 (2019) for full details of the installation process.

Maintenance requirements

HYDRA Roof Underlay must only be used under roof claddings which meet the requirements of the NZBC, such as those covered by NZBC Acceptable Solutions E2/AS1 or roof claddings covered by a valid BRANZ appraisal.

HYDRA Roof Underlay, when installed with the Technical Literature and this appraisal, will assist in the total cladding systems' compliance with NZBC Clause E2.

Warrantees

HYDRA Product Warranty - 15 years from date of purchase. Please view Warranty document via MWNZ website for full terms and conditions.



Date last validated: **17 July 2020**



Date last updated: **17 July 2020**

Disclaimer: The Product Technical Statement (PTS) template is copyright to Construction Information Limited. However the content of this PTS is the responsibility of the product manufacturer/supplier. Refer to the miproducts Terms and Conditions