# Viking Roofspec Bituclad4 Waterproofing

Membrane

Product Technical Statement: 104628

miproducts

Underground waterproofing system providing protection from water ingress for belowground structures

View miproducts listing



#### Level of assurance needed to demonstrate NZ Building Code Compliance

Supporting documentation should include technical information by manufacturer and either a BRANZ or independent Appraisal or CodeMark



Viking Roofspec confirms that this minimum level of assurance has been met or exceeded by the following: BRANZ Appraisal

**Technical Statement** 

864 (2014)

### Scope of use

Viking Bitculad4 DPM Membrane has been appraised as a DPM for use:

- On buildings subject to non-specific design under floor slabs complying with NZS 3604 and behind concrete masonry basement walls and under floor slabs complying with NZS 4229; and,
- On buildings subject to specific design with substrates of in situ or precast concrete complying with NZS 3101 or concrete masonry complying with NZS 4230; and,
- Where subsoil drainage and free draining granular backfill has been placed behind basement walls

Viking Bituclad4 DPM Membranes must be adequately protected against damage during backfill and in service.

## New Zealand Building Code (NZBC)

The product will, if employed in accordance with the supplier's installation and maintenance requirements, assist with meeting the following provisions of the building code:

- Clause B1 Structure: Performance B1.3.1
- Clause B2 Durability: Performance B2.3.1, B2.3.1(a), B2.3.2, B2.3.2(a)
- Clause E2 External moisture: Performance E2.3.3
- Clause F2 Hazardous building materials: Performance F2.3.1

## **Supporting Evidence**

The product has and can make available the following additional evidence to support the above statements:



# **Product Criteria**

#### **Design requirements**

Product specification and incorporation of Viking Bituclad4 Membranes into the building design shall be carried out by a designer/architect/engineer or a building professional who:

- Is qualified to design the buildings covered under the 'Scope' of use of this product.
- Has ready access to the technical specifications including installation details and standards referenced in the <u>BRANZ Appraisal No. 864 (2014)</u> where the design limitations are outlined for the scope of this PTS.

Accessories in the Viking Bituclad4 system include bituminous primer (20L), bituminous gum, protection boards and drainage boards. <u>Click here to read more about Bituclad4's accessories</u>.

#### Installation requirements

- Installation shall be carried out by a Viking Roofspec trained and licensed installer.
- Installation shall be undertaken in accordance with all relevant technical information related to the selected installation method, including information contained within the BRANZ Appraisal No. 864 (2014).
- Long term properties of the material may be affected by contact with petroleum-based products such as
  oils, greases and solvents.

#### Maintenance requirements

• Annual inspections must be made of the membrane's top edge seal and protection, the backfill capping, and the drainage pipe to ensure all are functioning as originally designed.





# masterspec partner

#### Company Contact Details



| Ме                          | t Technical Statement: 104628  | ▶ miproducts |
|-----------------------------|--|--------------|
|                             | f required, the drainage pipe must be cleared to remove any sediment or silt build-up. The slope of the<br>vackfill capping must be maintained at all times. |              |
| Warran<br>The Vikin         | <b>itees</b><br>ng Bituclad4 system is backed by a 20-year product warranty.   |              |
| Company Product Information |  |              |
| Quality Assurance           |  |              |
|                             | ISO 9001 (Quality Management)  |              |
| Relationships               |  |              |
| NZ                          | Member of New Zealand Green Building Council   |              |
| MANE Avertient              | BRANZ 864  |              |
| ~                           | Date last validated: 04 May 2016 💼 Date last updated: 04 May 2016  |              |

Disclaimer: The Product Technical Statement (PTS) template is copyright to Construction Information Limited. However the content of this PTS is the responsibility of the product manufacturer/supplier. Refer to the miproducts Terms and Conditions