



and Dee

Milliken.

STYLED OPULENCE

A beautiful collection designed to create wide appeal to different interior environment capturing traditional design elements with a contemporary twist. By combining simple, timeless motifs with interesting layered textures, the collection translates as a well-balanced symphony with a natural colour palette.






Spun Gold | DR Number: 01181704 Pattern Repeat: 2m x 2m | Multi tile repeat — 4 tile pattern



Top: Botanica Transition | DR Number: 01181690 | Monolithic Installation Bottom: Spun Gold | DR Number: 01181704 | Monolithic Installation





Mint Condition DR Number: 01181707 | Monolithic Installation and Natural Loose Lay | Pike in Bark | PIK176-121 | Ashlar (Vertical) Installation



TI

- 11

17.

Botanica | DR Number: 01181697 | Pattern Repeat: 2m x 2m Multi tile repeat — 4 tile pattern | Monolithic Installation


Ĵ.




Silk Thread | DR Number: 01181699 Pattern Repeat: 2m x 2m | Multi tile repeat — 4 tile pattern









Woven Layer | DR Number: 01181709 Pattern Repeat: 3m x 3m | Multi tile repeat — 9 tile pattern





CONTEMPORARY



STYLED OPULENCE

Multi tile repeat — 6 tile pattern



Botanica Transition DR Number: 01181690 Pattern Repeat: 2m x 3m

2

4

6

3

5

Multi tile repeat — 4 tile pattern



Botanica DR Number: 01181697 Pattern Repeat: 2m x 2m

Single pattern repeat — 4 tiles shown

1	2
3	4

Single pattern repeat — 4 tiles shown



Golden Weave DR Number: 01181708 Pattern Repeat: 1m x 1m



Natural Form DR Number: 01181705 Pattern Repeat: 1m x 1m

2

4

1

3



Multi tile repeat -4 tile pattern



Mint Condition DR Number: 01181707 Pattern Repeat: 2m x 2m 3 4

2

Multi tile repeat — 4 tile pattern



Silk Thread DR Number: 01181699 Pattern Repeat: 2m x 2m



Multi tile repeat — 9 tile pattern



Woven Layer DR Number: 01181709 Pattern Repeat: 3m x 3m

1	2	3
4	5	6
7	8	9

Multi tile repeat — 4 tile pattern



Spun Gold	
DR Number: 011	81704
Pattern Repeat:	2m x 2m

1	2
З	4

Nilliken

Se Int

Self-sanitising Carpet

Integrated Infection Control



MGUARD+ treatment kills 99% of the SARS-CoV-2 virus within 2 hours of contact with Milliken PrintWorks™ carpet tiles.

MGUARD+ treatment kills 99% of S. aureus, E. coli, K. pneumoniae in 24 hours as per AATCC 174-2.

Duration of protection varies with use.

Powered by HealthGuard®.

Only available in Australia and New Zealand.









COMPLETE FLOORING SOLUTIONS

With an industry leading selection of high-performance modular carpet and LVT options, we are inspired to create exceptional Clubs & Gaming and Hospitality flooring products that will inspire you and your guests.

Whether it's one of our standard hospitality collections or a custom option from our easy to specify PrintWorks[™] patterning technology, we have the right colour, pattern, and construction that adds value to your environment. From the front door, through the lobby to the public space and guest room, Milliken brings innovative design to every corner of your property.

Modular Carpet Tile



Solution Dyed Nylon Guest Rooms Carpet Tile



Luxury Vinyl Tile



CREATING A BETTER WORLD

Milliken supports the Property Industry Foundation

Milliken is a proud partner of the Property Industry Foundation, an organisation devoted to alleviating the problem of youth homelessness. The Foundation builds homes for homeless youth and provides ongoing support for homes where young people can rebuild their lives.

Homelessness is one of the most severe forms of disadvantage and social exclusion that any young person can experience. Youth homelessness affects 44,000 young Australians every night and understanding the scale of this issue, we were compelled to get involved and help in the great work the foundation is doing.

The Styled Opulence collection is part of the 'Product Pathway'. The 'Product Pathway' is a unique fundraising model created by Milliken for the Property Industry Foundation where a contribution from every dollar of sales is donated to the foundation to build homes for homeless youth. The aim of the product pathway is to provide a regular and sustainable fundraising stream and with your help, we can keep assisting the Property Industry Foundation in tackling the issue of youth homelessness.

The Foundation's mission is to make a tangible difference to the serious and persistent problem of youth homelessness by partnering with respected charities to build safe environments and support charity managed initiatives focused on education, employment and well-being.

Milliken

www.millikenfloors.com.au

STYLED OPULENCE

SPECIFICATION



When you choose M/PACT[™] products, you can be sure your choice is carbon neutral. M/PACT[™] carbon neutral products offset the raw materials and manufacturing carbon footprint* by using 3rd party Verified Carbon Standard Credits that support renewable energy and carbon reduction technologies to help fight climate change. *as calculated and verified through a ISO14025/ISO14040 compliant LCA and published in third party EPD.

Standard Backing	Cushion Backing WellBAC® Comfort Plus (PVC FREE) (Non-Reactive Cushion Backing)				
Acoustic Value	Noise Reduction Coefficient – NRC \ge 0.25 Impact Sound Pressure Level - Ln,w \le 45dB				
Concrete Slab Moisture Mitigation	Site-Related Solutions (SRS). Milliken Cushion backed tile + Non-Reactive Standard adhesive means installation 60 days after a new concrete pour, fully warranted no moisture testing required. Refer millikenfloors.com.au				
Antiviral Antibacterial MGUARD+ Antiviral and Antibacterial Treatment. Further information refer to millikenfloors.com.au					
Cons	struction	Tufted, Textured Loop	Lightfastness (AATCC 16E)	≥4.0 at 80 Hours	
	Tile Size	100cm x 100cm	Static Electricity	≤3.5KV	
Ya	arn Type	Milliken Certified 100% Nylon	(AATCC-134) 20% R.H., 70°F		
Stair	n Resist	StainSmart [®]	Indoor Air Quality	≤0.5mg/m ³ (GLP0793)	
Soil	Release		CRI Green Label Plus™		
Dye	Method	PrintWorks™	VOC	Pass (ISO 10580:2010)	
	Gauge	1/10	ACCS Grading	CEHD 4*, REHD2 6*,	
Stitches	Per Inch	10.3		Suitable for Stairs	
	Tufts	103/in² (1,595/100cm²)	Environmental	ECS Grading -	
Re	cyclable	100%		Level 4 (Certificate No. 20146)	
	cyclabic	10070		LCVCI + (CCI lineale No. 201+0)	

Nominal Total Thickness 10mm Nominal Total Weight 104 oz/yd² (3,526g/m²) Nominal Pile Thickness 2.79mm Flammability (Radiant Panel Test)

CHF/CRF = 4.2kW/m², Smoke value = 271%.min

Declare -3rd Party Verified RED LIST FREE Cradle to Cradle - Silver Carbon Neutral Environmental Product Declaration (EPD)

Health Product Declaration (HPD)

Recommended Installation Method(s) Recommended Area of Use Warranties

Monolithic Commercial Extra Heavy Duty 15-year Wear Warranty 15-year Dimensional Stability Warranty 15-year Anti-Static Warranty 15-year Castor Chair Wear Warranty









Alliance Founding Member



Australia: Toll Free: 1800 668 372 New Zealand:

Toll Free: 0800 668 372

www.millikenfloors.com.au (Australia & New Zealand)







This WellBAC® cushion-back carpet tile product is covered by one or more patents, published applications and/ or patents pending. Specifications are subject to normal manufacturing tolerances and may be changed without prior notice. Copies of actual test results are available upon request.

© 2022 Milliken & Company | Design © Milliken & Company